

Device Landscapes—A New Challenge to Interaction Design and HCI Research

Erik Stolterman^{1*}, Heekyoung Jung², Will Ryan³, Martin A. Siegel¹

¹ School of Informatics, Indiana University, Bloomington, USA

² School of Design, University of Cincinnati, Cincinnati, USA

³ School of Communication, Ithaca College, Ithaca, USA

*Corresponding author: Erik Stolterman (estolter@indiana.edu)

Abstract

Background

The number of interactive digital artifacts is growing surrounding personal lives, and individuals have an increasing need to describe, analyze, and interpret what it means to own, use, and live with a large number of interactive artifacts. It becomes critical from a design perspective to better understand the relational aspects among multiple artifacts beyond the use of individual ones. In this article, we examine the nature of networks of interactive artifacts and the way people understand and handle these networks. We introduce the concept of *device landscapes* as a conceptual tool for the analysis and examination of personal networks of interactive artifacts.

Methods

We describe previous work and discuss the theoretical underpinnings supporting our studies. In particular, we *compare* and *contrast* our concept of device landscape to other models of multi-artifact systems with an emphasis on the bottom-up perspective in which landscapes are created by users instead of a perspective given by designers. Also, we summarize and interpret several studies we have completed—including personal inventory study, mapping study, survey, and interview to examine how people perceive and manage their personal device landscapes. Based on our findings we propose a conceptual framework aimed at supporting research on these device landscapes.

Results

From our studies we found that people perceive device landscapes in many different ways and develop their own strategies to manage multiple interactive artifacts, mostly digital devices in use. By investigating high-level patterns from device maps and verbal descriptions, properties and aspects of interactive artifacts are defined to describe the concept of device landscapes.

Conclusion

We also discuss how these personal networks—namely, device landscapes—present new challenges and implications to the interaction design and HCI research community by comparing it to the perspectives of ubiquitous and pervasive computing environments.

Keywords

Device landscapes, personal networks, interactive artifacts, networks of artifacts, HCI research

1. Introduction

Our reality is becoming increasingly interactive. People's everyday environments are flooded by new digital interactive artifacts and with traditional artifacts enhanced by digital technology [1; 9; 13; 33]. In many cases, these artifacts are connected to the Internet—creating a network of interactive artifacts communicating with each other, exchanging data and information, and sharing functionality and features [5; 11; 30]. More recently, companies such as Apple, Google, and Amazon have announced new services to synch content across a variety of iDevices, Macs, PCs and the Web [36]. Even though the individual artifacts are part of our everyday reality and are thoroughly examined by the HCI research community, less understood are the resulting *artifact networks*, namely *device landscapes*. Theories and approaches such as distributed cognition [17; 18] and ubiquitous computing [1; 13; 30; 37; 39] have provided certain perspectives on these relationships, but the understanding of

these device landscapes are far from well developed or comprehensive.

Today, most individuals in developed countries have a large number of *physical interactive artifacts* or *devices* at their disposal. But, this does not mean they fully know how these devices interact with each other and the intricate relationships among them, making up an individual's *personal device landscape*. Any network of interactive digital artifacts creates, due to its dynamic and interactive nature, emerging qualities that influence the usage and the user experience. Furthermore, these emergent qualities are difficult to describe, analyze, and explain [21; 35]. To live within and to make use of a network of interactive devices is quite challenging and is a source of frustration for many individuals since they do not feel as if they understand or have control over their own immediate personal information environment [33; 51]. At the same time, most people continue to increase the complexity of their interactive device landscape by adding more artifacts leading to an increase of both interactivity and connectedness. Being a user or an owner of a large set of interconnected devices is a growing concern that, so far, has received insufficient research attention; indeed, the Microsoft report, "Being Human—HCI in 2020," recognized these challenges for the HCI field [15]. Despite this lack of attention, some of these intricate and complex relationships among artifacts have been addressed by researchers from other fields [16; 18; 25; 33; 35].

We see the research presented here as an alternative and complementary approach when it comes to creating an understanding of current complex interactive environments. For instance, even though our approach deals with the pervasive nature of computational devices, it is distinct from a traditional pervasive and ubiquitous computing approach. While ubiquitous approaches commonly focus on the environment as a coherent system of carefully managed computational devices and resources, we focus on the environment as a landscape of individual and physically distinct devices as they are understood from the perspective of an individual user.

We argue that there is a need for HCI research aimed at the analysis and examination of interactive device landscapes with the purpose to create knowledge about how people, over time, experience, understand, and strategize their use and development of their personal interactive landscapes, and to develop appropriate approaches and methods for such examinations. This paper brings together several studies we have conducted to explore the conceptual and practical dimensions of device landscapes. Some of the studies are presented in more detail elsewhere [21; 40; 45]. The overall purpose of this paper is therefore not to report in detail on these studies but to make the larger argument about the need for HCI research to recognize this particular aspect of human computer interaction.

2. Personal Interactive Device Landscapes – a definition


The basic unit of analysis in this research is the *physical interactive device*, such as the individual laptop, cell phone, mp3 player, desktop computer, smart phone, etc. We found this to be a quite unusual approach in contrast to several other approaches where the focus is on conceptual values of individual interactive artifacts in use, such as functionality, information, connectivity, communication, etc. In these other approaches, devices and artifacts are only seen as providers or carriers of functions or services and not as primary units of analysis. However, we focus on physical devices with the purpose to stay close to the intuitive way people think and talk about their immediate interactive environment. Physical artifacts are for many people the most concrete and real aspects of their everyday digital *lifeworld*, that is, of their overall and immediate experience of their reality [22 ; 48; 50]. Since our purpose is to explore how people in everyday settings understand and strategize around their interactive environment we chose to stay close to what we assume is their own way of describing their interactive device landscape. Another reason for the decision to focus on physical artifacts is that people's interactive environments are not usually designed as a system or a whole. Designers only have control of individual artifacts or parts of a network, while the final

total composition of a person's landscape of devices is a combination of intentional and unintentional decisions made by the individual. The landscape is therefore in most cases not a designed entity but a composite—something that evolves and emerges from a day-to-day process of individual decisions.

We argue, from an interaction design perspective, it is of interest to examine how these compositions, these personal landscapes, evolve and emerge. Therefore we seek to understand to what extent and through what means the individual 'inhabitant' or 'owner' of a particular landscape is actively engaged in and conscious about the process. Based on the findings from a set of our studies, we suggest that a productive way to approach and understand these complex physical interactive artifact compositions is to view them as *device landscapes*. The notion of landscapes makes it possible to see artifacts as elements or objects situated in a (digitally augmented) physical *environment*, and it makes it possible to focus on and analyze distances, clusters, connections, and relationships between the physical artifacts. At the same time, the way people perceive their device landscapes are not only based on their proximate distance but also to what degree artifacts have similar behavior, functions, or appearances. Based on this realization, we have developed some models that make it possible to analyze these relationships. These models will be described in detail later.

In our research, we have focused on a particular form of device landscape, which we define as: *the "landscape" made up by all physical devices with some level of interactivity, made possible by digital technology, that one person owns or has access to and actively engages with*. There are of course several other possible ways of framing and defining what constitutes a landscape of devices. Since our overall approach is guided by an ambition to further examine and understand how people live with, understand, and strategize their actions among many interactive devices, what belongs to a personal interactive device landscape is identified and defined by the person who uses and/or possesses the artifacts (Figure 1). This

is a simplified approach and definition since in reality most people live in social contexts where artifacts are shared and landscapes overlap. However, we made a deliberate decision to start our analysis with a well-defined unit of analysis, that is, personal device landscapes, with the intent over time to broaden the analysis to also cover shared and social artifact landscapes.



⟨Figure 1⟩ A Personal Interactive Device Landscape

3. Research Assumptions and Goals

The number of interactive digital artifacts is growing: for example, here is a typical list of physical (and more or less interactive) artifacts making up a *real* person's interactive device landscape: cell phone, desktop computer, laptop computer, PDA, MP3 player, CD player, GPS device, alarm clock, scanner, cable modem, router, USB memory stick, Playstation 2, Wii, TV, calculator, microwave oven, oven, car, washer, dryer, refrigerator, digital camera, camcorder, and audio recorder. Also, in addition to these owned artifacts, other objects in this person's landscape include artifacts owned by other family members, shared artifacts at work, and publicly accessible artifacts. Furthermore, physical objects, traditionally not seen as either digital or interactive, are transformed by the infusion of digital technology into their design. This means that what people see as belonging to their landscape of interactive devices is constantly changing and primarily *expanding*. For instance, a car has been seen as an analog, (mainly) non-interactive artifact, but is now transformed into a digital artifact connected to other artifacts (such as GPS, computers, game consoles, mp3 players, etc.). Other artifacts are going through the same change, from

really simple ones such as a digital photo frame or a key ring, to more practical everyday home technology, such as thermostats and exercise equipment. The same is happening with many of our home appliances, toys, and practical tools. (This development is well described in [33]).

The key definitional property of these artifacts is their *interactivity*, that is, the ability to communicate, to share information, and to react and act on a user's behavior and actions, and on each other's behavior and actions. When these artifacts communicate and act as one system or landscape, an emerging *behavior* appears. We are getting closer to a situation where our landscapes can almost be classified as one unit with a particular behavior—almost “living”. To some extent this has been anticipated in ubiquitous and pervasive computing research [1; 13; 30; 37; 39] and with the advent of intelligent system of smart objects [33]. This almost “living” aspect of landscapes is something we have observed in our studies. For instance, it is possible to identify, follow and examine how artifacts “evolve” over time. In any landscape, some artifacts survive and some “die” and become “extinguished.” We have found that most people have evidence of this in their homes in the form of older devices no longer in use, but still saved in drawers or garages. Furthermore, it is possible to examine an ongoing and sometimes intense artifact “competition” for a position in a landscape. In such a competition, only those devices that provide the greatest sustained value to the owner of the landscape will become more than temporary visitors in the landscape. For example, the iPhone as a device gradually made several other devices obsolete. When the iPhone takes a place in a landscape, it influences what other new devices the owner of the landscape can and will bring in. Each device influences to some degree every other device's role, status, and place in the landscape (Figure 1).

As stated earlier, the reason behind our research is that the growing complexity in a person's everyday life when it comes to dependency and involvement with technical interactive artifacts appears to lead both to excitement and frustration

[5; 13; 27; 33]. Indeed, our own studies suggest the complexity of the ever-expanding interactive device landscape reality can cause both unease and stress [20; 21]. For a normal, non-technical person, it is already quite challenging to establish and manage one's personal interactive device landscape. It is as if each of us needs a system or landscape administrator. We are in need for new approaches to support and inform interaction designers, students, and professionals when it comes to the design of new interactive artifacts. *Every* new interactive artifact designed today will become a part of someone's personal interactive device landscape. The challenge for today's interaction designers is to know how to *think about, plan for, and design* an individual artifact so that it will function in an intended way in all of the different and highly diverse device landscapes. Our research is also based on the assumption that existing theories, frameworks, and approaches in HCI and related fields do not address all the issues emerging when we consider networks of interactive artifacts instead of the relationship between a single user and a single artifact or application. The overall goal is therefore to present our research on personal interactive device landscapes and discuss its implications for HCI research, and to initiate methodological development for HCI research aimed at studying landscapes of artifacts instead of individual artifacts or designed environments.

4. Related Research

Traditional research approaches in HCI are in many cases based on models with either *a single user* performing a well-defined *task*, a single user performing *several tasks*, or *a group* of users *collaborating* around one or several well-defined tasks, all in fairly stable and well-known environments. The focus is in most cases on the particular task and therefore on the functions and services interactive artifacts and systems provide. These approaches fulfill their purpose well and have been valuable tools for design and research in the field. However, we argue for a complementary approach, focusing on the landscape aspects of the use of digital interactive artifacts. A user dealing with a large number of physical interactive devices in different contexts (e.g., home, work,

public spaces) has to cope with an overwhelming complexity of relationships between the artifacts, functions, services, and tasks.

There are attempts to conceptualize more complex forms of relationships between users and artifacts within HCI (though not so much in HCI practice, see [38])—such as *situated action* [44], *distributed cognition* [17], and *activity theory* [23], to name a few. These approaches mostly focus on the use context, that is, on the environment where an interactive artifact is supposed to be used and on the user(s) in that environment. They are to a lesser degree focused on landscape aspects as we define them. *Computer Supported Cooperative Work (CSCW)* [2; 4; 43] offers a potentially relevant approach. However, CSCW theory is mostly developed to support the study of specific groups of people working together on a common task using one artifact or system. *Human Robot Interaction (HRI)* research [12; 33; 41], as another approach, does focus on concrete physical artifacts and adds the notion of “intelligence” and agency to artifacts. It is however primarily focused on the domain of robotics. *Phenomenological approaches* seem to be one stream of HCI research related more directly to our approach but focused on the phenomenological advancements on how people experience technology [6; 29; 48]. They are relevant to our perspective, providing guidance when it comes to the study of “lived experience” or “lifeworlds” of people dealing with technological artifacts and systems [6; 22; 29; 46]. But at the same time, this strand of research pays less attention to the physical manifestations of technology in the form of devices and sometimes even less on the intricate relationships between them. Perhaps, the most relevant stream of research can be found within the area of *ubiquitous* and *pervasive computing* in which a lot of interest and progress has been made in this area over the last several years [1; 13; 39]. The field has so far been quite focused on solutions grounded in specific perspectives, such as an *information management* [8; 34], *technical infrastructure* [37; 42], or *mobile context perspective* [28; 49]. The general philosophy in this field is however systemic, that is, it is focused on how to develop

designed environment for users. There are some variations of this stream of research, such as physical computing, ambient intelligence, “internet-of-things”, etc. These approaches are definitely relevant to our research, but at the same time they do not clearly overlap. We will later more closely contrast and compare our approach with the mainstream ubiquitous computing paradigm.

We have been inspired by and used several of the theoretical approaches mentioned above in our empirical studies; however, none of these approaches provided us with a conceptual foundation suitable for our purpose. The complex relationship between one person and a number of physical interactive devices is not at the core of any of these approaches. In most HCI research approaches, the person under study is called the “user.” In this context, we prefer not to use the concept of *user*, since it presupposes a *task* and a *focused activity*. Being and acting in an interactive landscape is different; it does not imply a specific task or activity or even a specific location. However, now and then we use the notion of “user” for the purpose of clarity. The interactive artifact landscape manifests and defines the context within which a person lives, acts, and behaves, and moves around. A person can interact with a number of artifacts at the same time, performing a number of activities at the same time, while the artifacts interact between and among each other. This complex landscape is, as far as we can determine, not addressed enough by existing research approaches.

5. Theoretical Foundation

The research presented in this article is basically about how people relate to their immediate physical reality. It is of course possible to study that relationship in many ways, and they all depend on how “immediate reality” is defined. One basic assumption of our approach is that we define reality or the interactive landscape by the *actual physical devices* and the *relations* between these artifacts and the “user”. It is a highly *artifactist* (or object oriented) and *relational* approach. The reason for adopting such an approach is demonstrated in our studies. We have found people mainly think about their

interactive landscapes as consisting of physical artifacts and not necessarily as abstract networks, information flows, services, or functional features. It seems as if an everyday intuitive way of thinking about personal interactive environments is to see them as made up by physical objects. It is, of course, possible to approach a person's interactive landscape through other "lenses", which would lead to other results and additional ways of understanding the same reality.

How humans relate to their reality is a core concern of most philosophical explorations. However, there has been less interest in the more concrete relationship between humans and their (physical) artifacts. Over the last years, we have however seen several new theoretical attempts bringing artifacts, objects, and "things" into focus. Some of the more prominent and relevant attempts can be found in the works by Borgmann [3], Latour [25], Verbeek [46], Mitcham [31], Feenberg [10], Krippendorff [24], and Harman [14]. These authors all contribute to a somewhat coherent development of a modern philosophy of technology. All attempts mentioned above can be seen as striving towards what Mitcham [31] labels a *phenomenology of artifacts*. Mitcham describes this school of thought as dominated by the idea that technology can be studied as consisting of artifacts, having inherent/intrinsic designed qualities that, when placed in the world, acts and evokes a space of possibility and limitations to its environment and its users.

In our research we use some of the most prominent and recognized philosophical attempts within the *phenomenology of artifacts* philosophical tradition as a foundation for our reasoning around the constitution and status of artifacts in relation to humans. From the works of Verbeek and Feenberg, we have been inspired by the notion that things "act." This is not an approach that makes artifacts "alive," but it does recognize the inherent behavior, particularly of digitally enhanced artifacts, making them able to recognize their environment and act accordingly [10; 46]. From Borgmann, we have been inspired by his famous notion of the *device paradigm*. Borgmann is concerned with an increasing

commodification of both things and services. There is, according to Borgmann's device paradigm, a disconnect between the way we design modern artifacts and what people need in order to feel grounded in their reality. Borgmann argues such a development restricts people from having close relationships with things (artifacts) in a way that really matters [3]. From the work of Latour, we have been inspired by the notion of *networks as aligned actants*, where artifacts in the network work in close relationships with humans to create combined realities shaping each other [25]. From Krippendorff, we have been inspired to use the notion of ecology as a model in our analysis and examination of the network of artifacts [24].


It is obvious that these scholars cannot easily be combined into a coherent theory, and that is not our purpose. However, we fully recognize any examination of the relationship between people and physical artifacts rests upon a conscious (or unconscious) philosophy of technology. In our research we have engaged therefore in philosophical examinations and explorations with the attempt to better understand how contemporary philosophy of technology approaches can support and help us understand the way people relate and act in their artifact environments.

In previous research, we have explored the notion of interaction and interactivity and how the character of artifacts influences interaction, especially with a focus on the complexity of interactions [19; 20; 26]. These theoretical explorations of the *nature of interaction* also serve as a conceptual ground for our investigations into the complexity of interactive landscapes. Another aspect we have explored in earlier work is the *notion of environment interaction* [47] with a focus on what the new interactive reality means from a design perspective.

6. Interactive Landscape Studies

Below we present our empirical studies into personal interactive device landscapes. Since most of these studies have been presented elsewhere and this article is mainly aimed at

presenting the overall findings and implications, we will only briefly mention the studies and the results here.



〈Figure 2〉 Examples of Personal Device Landscape Maps


6.1. Personal Inventories and Landscape Maps

First of all, we developed and conducted two forms of studies labeled as *personal inventories* and *landscape maps*. We conducted several studies using these tools, some reported in [21]. In these studies we explored possible ways to gather, describe, analyze, and interpret personal device landscapes—specifically by asking people to develop a list of their device inventory and to visualize their relational values on a conceptual map. The personal inventories and the landscape maps were analyzed in search of patterns and similarities. These analyses helped us form the first steps toward a typology of interactive landscapes and a categorization of users. The outcome of these studies has resulted in a broad and rich set of examples of personal interactive landscape maps (Figure 2).

6. 2. Interviews and Survey

We have also, through interviews and surveys, explored and examined conscious and unconscious *strategies* people employ in their attempts to manage their interactive landscapes—for example, what kinds of digital devices people have and use often, how they manage their digital files in multiple devices, what kinds of interactive devices they synchronize or intentionally keep disconnected, etc. We classified two strategies in particular including the *harmonizing strategy*,

advocated by those who conceive the landscape as one entity needing to be harmonized into one compositional whole, and the *isolating strategy*, advocated by those who want to keep all artifacts separated, not connected, and definitely not synced [45]. It was obvious in these studies that most people have conscious strategies in making decisions related to their device landscape, typically regarding when to get a new device, when to repair a device, how to exchange an old device, etc.



〈Figure 3〉 One Personal Device Landscape Mapped by Using the Tool

6.3. Device Landscape Mapper

Based on the understanding of diverse types of device landscapes and personal strategies to manage them from the paper-based studies above, we designed and constructed a computer-based tool called the Device Ecology Mapper [40], which allows users to create device landscape maps. We now call this tool a *Device Landscape Mapper* to match current conceptual models for this study. The person using the tool can pick devices from device lists, position or remove devices on a “landscape”, make relationship connections between devices of different types, and add text labels on devices and connections explaining the relationships (Figure 3). The tool helped us experiment different approaches to describe and visualize device landscapes, and investigate on a “natural” way

for people to describe their everyday artifact environments. This means the tool has not only served as a research tool for gathering data, but even more as a tool for theoretical and conceptual development important to our research.


7. GENERAL FINDINGS FROM THE STUDIES

Our studies of device landscapes have led to findings that are both conceptual and methodological in nature. Although these conclusions are based on empirical studies, they should be read more as propositions and arguments for a new kind of HCI research approach than conclusive results. As a result of our studies, we have developed models to conceptualize personal device landscapes. We will briefly present two models here: the *value-centered model* and the *property model*.

We found in our studies people wanted to describe the relationships between themselves and devices and between devices in a value-based way. Based on how they reported and described their landscape we distilled what types of values were frequently used. We found people commonly used three types of values, which we derived into a *value-centered model* [21]. The model characterizes the relationship between devices and the user by focusing on types of *values*. The model distinguishes between three forms of values, *practical values* (the purpose and goals of using a device), *emotional values* (the emotional attachment a user has for a device), and *rational values* (the effectiveness of the device for supporting the practical and emotional values) (Figure 4). With these three types of values, this model emphasizes *subjective* and *personal* aspects of the relationship between artifacts and their owner, which cannot be investigated with objective, quantifiable criteria.

The role of each artifact can be defined by analyzing the value relationships in one's device landscape (Figure 4). At the same time, this model underscores devices of the same kind can have different values depending on its owner's contexts of use and subjective value criteria. Using the model to analyze even a small device landscape leads us to realize the complexity of

any device landscape. Analyzing each and every relationship in a landscape becomes quickly an almost overwhelming task. A full understanding of a device landscape requires however an understanding of how each device influences other devices through the values placed on them by the owner. This means a complete understanding of a personal device landscape is almost impossible to establish.




〈Figure 4〉 The Value Centered Ecology Model

Through our studies, we also realized even though values are one important aspect of landscape relationships, other, more concrete aspects are also in play. The *property model* [21] characterizes devices and their relationships according to four types of design features (see Fig. 6). The first design feature or relationship is concerned with how the artifact is *physically manifested*; the second is about the *interactional style*, or how the user interacts with the device (e.g., touchscreen, stylus, keyboard, indirectly, and so forth); the third relationship is about *functional properties*, that is, what the device can do, such as what applications run on it; and finally the last relationship deals with *informational capacities*, or what information flows through this device and how it is shared with other devices.

It became clear that what we had explored with the landscape inventories and maps only captured some aspects of landscape relationships. When we used the property model as a tool for analysis, even a small number of artifacts led to a complex relationships within the landscape (Figure 5). Some devices have relationships due to their physical manifestation (material, shape, color, size, etc.), some others relate by having similar interactional styles or interfaces, some have similar

functionality, and some share the same information and are therefore seen as related. In Figure 5, with only five devices, the device landscape itself quickly becomes highly complex. It also becomes clear that to exchange just one of the devices (for instance Artifact3) affects multiple landscape factors, since that device has strong but different relationships to almost all other devices.



〈Figure 5〉 The Artifact Ecology Properties Model

The property model has served well in our studies as an analytic framework. We do not claim the property model in itself is the final conceptual tool for describing and analyzing device landscapes, but we do see the model as a promising result showing the potentiality in studying device landscapes. We also believe the model shows that by analyzing device landscapes, it is possible to reveal several layers of landscape factors strongly influencing what is generally seen as an “isolated” interaction between a user and a specific artifact. We see these results as indications that it is possible to frame and conceptualize device landscapes in a way that makes them a serious aspect of human–computer interaction research.

Our studies have demonstrated these models were useful to us as researchers but also to our participants as users/owners of interactive devices. The models made it easier to think, talk, examine, and analyze different types and aspects of device landscapes depending on their behaviors. While participants did have some difficulty understanding certain aspects of the models, after a time they felt its properties were useful in

conceptualizing their use of interactive artifacts in their landscape [40]. Also, in the Device Landscape Mapper study, which included the Property model (but not the Value-centered model), participants described one of the downsides of the tool was were the missing connections between tools of a more emotional or value-laden nature. This indicates that a full understanding of the nature of the device landscapes cannot be reached by only focusing on limited or certain specific aspects. Device landscapes are part of a person's complete *lifeworld* and cannot easily be divided into separate parts or aspects if an understanding of the landscape as a whole is aimed for.

We have above highlighted some of the results from our studies. The purpose has not been to make a detailed account for each study or result, instead the aim has been to present the background to the insights presented in the next section. We would argue even though the insights are not clearly extracted from the studies, they do reflect an emergent understanding of device landscapes our studies and findings has led to.

8. DISCUSSION AND INSIGHTS

Our research started with a realization that people do live with and use a large number of interactive artifacts. We also realized HCI research has not sufficiently addressed factors of interaction based on concrete, physical devices in networks. Even though we have already presented some results we will now introduce some more general findings. We do recognize some of these findings may appear quite simple and maybe even trivial, but we consider them to be fundamental and if taken seriously they could have serious implications for HCI research and practice.

8.1. Insights concerning the nature of personal device landscapes

1) People see digital interactive devices primarily as “things”

In our studies, our participants did not primarily think of artifacts in terms of providers of functions and services.

Instead, they think of them as objects and things, providing a diverse set of functional, informational, physical, or interactive affordances. The participants primarily identify each object as a thing they own, use, and take care of. We see this as evidence of how an artifactist approach can be fruitful as a complement to other perspectives in HCI research. This finding resonates with the philosophical thinking of Verbeek [46] and Harman [14] and others who advocate that we have to develop an artifactist approach in our studies of how people relate to and deal with technology.

2) People have a sense of “abstract networks” or device landscapes

When required to think about it, our participants could describe and talk about connections and relationships between artifacts in many ways, using values, properties, layers and factors, regardless of their own technical knowledge. Their descriptions were often quite advanced and complex (however not always logically or technically correct). We see this as evidence that most people on some level can and do think about their artifacts as elements in a landscape. We also see this as a reason for the field of HCI to develop approaches for the study of such landscapes.

3) Landscape factors influence people’s thinking about and behavior toward their devices

Landscape factors give artifacts additional meaning and value when they are seen as part of the context of something bigger where elements are connected and have relationships. Artifacts are not used or understood in isolation. The way people make decisions on how to use, maintain, add, remove, and replace an artifacts in their landscape is in part a response to the landscape as a whole. For instance, decisions made about sharing a document on a desktop computer depends on what other artifacts are part of the landscape (e.g., thumb-drive, smart phone, router, printer), what artifacts are shared (server space), and what artifacts are publicly available. Also, if a person is thinking about buying a new desktop computer, the fact that she owns a MacBook, an iPod, and an iPhone will strongly influence the decision. In [4], the authors

describe a system design using multiple artifacts to tie users into an overall experience of “place,” where the artifacts working in unison were more meaningful for users than the individual components reinforcing the experience of “place.” Such a design hints at the potential of landscapes as a conceptual tool in HCI research and design. We see this as evidence that landscapes as wholes, with their complex relationships, influence and impact how individual artifacts are perceived and valued in relation to the landscape. This has of course consequences for every form of artifact design, evaluation, or usability study. This finding resonates with the philosophical thinking of Latour [25] who advocated that in order to understand individual entities we have to explore how they are aligned in a network. The strength of that alignment can reinforce or reduce the importance of each involved artifact in relation to the whole.

4) Personal Device Landscapes are complex

Landscapes of artifacts are complex for many different reasons. First, the number of artifacts in a personal landscape creates potentially an almost infinite number of possible relationships all across the landscape where each of these artifacts provides different functionalities and opportunities for the user. The network complexity grows fast. Second, an artifact landscape can be spread out across a large physical space where a user lives and works. Third, artifacts in a landscape have different meanings when in different contexts. Fourth, different artifacts are related to each other in different ways depending on the level of analysis and the situation being analyzed. Finally, device landscapes are constantly changing when old unused artifacts are replaced with newer artifacts that may or may not share similar physicality, functionality, information potential, and interactivity. And furthermore, if we leave the world of personal device landscapes and move into collective device landscapes, these complexities are drastically increased.

5) Personal Device Landscapes are difficult to study

We have found it difficult to study device landscapes as such without falling back on more traditional user interaction

models. It has been difficult even to establish and examine very simple landscapes. For instance, it has been difficult for subjects to establish their personal inventories of what devices they own, use, and share. So many devices are part of an individual's personal landscape but have unclear status, such as the case of laptops provided by work or school, family owned artifacts, shared public artifacts, artifacts whose interactive or digital status are difficult to ascertain, etc. Device landscapes are also difficult to study since they are closely connected with how participants see themselves, how they make meaning of their artifacts, and who they are. Overall, we think we have only scratched the surface of the issues and complexity present in studies of device landscapes.

8.2. Insights concerning people and their device landscapes

1) Personal Device Landscapes are personal

People develop very personalized understandings and meanings about how and why their artifacts are related to one another. Out of necessity, each individual uses these meanings to help them address the daily activities and tasks they deal with and to make sense of computational situations in which they find themselves. While these meaning-making efforts are useful, it seems they are rarely consciously conceptualized and even less consciously enacted upon through use. People are very pragmatic in the construction of their understanding of their landscapes. In many cases, their descriptions are erroneous when it comes to technical or structural aspects, but their understanding of the landscape they own makes sense to them and gives them guidance in their everyday endeavors.

2) People develop landscape and device strategies

We believe we have evidence that people do develop strategies on how to think about and handle their device landscapes. These strategies play an important role in how people add to, change, and develop their landscapes and how they value and handle individual artifacts.

3) People find a landscape perspective interesting and useful

We found our participants enjoyed the exercises of creating device landscape maps and discussing their strategies in managing their device landscapes. In many cases, they realized they had not externalized their view of their own device landscape before, but they enjoyed seeing their own device landscape from a birds-eye view.

Summarizing our findings, we would like to postulate some fundamental device landscape principles. We do not claim to have proven these principles in our studies, but we are convinced enough by our findings to postulate them as principles worthy further examinations and tests. These principles are:

- Every digital interactive artifact/device is part of one or many device landscapes.
- Every person who owns any digital interactive artifacts is the “owner” and caretaker of a device landscape.
- Landscape factors influence the experience and use of individual interactive artifacts.
- Device landscape factors should be considered in designing an interactive artifact to prevent its isolation from networks of other artifacts.
- HCI research needs new perspectives, theories, methods, and tools for the study and design of artifacts that will be part of device landscapes.

8.3. Insights concerning the overall approach

As we stated earlier, the research approach that seems to be closest to our approach is ubiquitous computing or pervasive computing. However, the assumptions and philosophy behind ubiquitous computing are different and does not lend itself to the kind of research we have been engaged in. Table 1 demonstrates some of the differences between these two research paradigms.

〈Table 1〉 Comparison between ubiquitous computing and device landscapes across dimensions

	Ubiquitous Computing	Device Landscapes
Appearance	Disappearing	Physically real
Perspective	System	Personal
Structure	Technical connections	Relationships through 'owner'
Larger entity	System as designed by someone	Landscape as defined by 'owner'
Behavior over time	Permanent and stable	Dynamic and emerging
Artifacts	Expression of a designed system	Object in themselves
Origin	Designed	Evolving and emerging
Control	System	Individual

While we do not mean to imply there is not a place for a research approach for studying device networks based on ubiquitous computing, we do argue there are many situations requiring a different type of research approach and methods when the purpose is to understand the complexity of the fractured, heterogeneous computing environment modern users of interactive artifacts faces.

We have proposed some initial methods as well as a way to describe these networks as device landscapes in which users are situated. Much work has yet to be done in terms of conceptualizing and validating new methodologies for capturing these landscapes, but our initial work represents a first step.

These findings have also shown us some of the shortcomings of our own approach. We have, for instance, not studied behavioral aspects, that is, how people actually behave when

they are in everyday device landscape use situations. Also, while we have touched on it in our study of strategies, our approach has not captured the evolution and dynamics of these device landscapes over time. And, as we have mentioned, we have only focused on personal landscapes so far. There is a need for studies of overlapping, joined, and cooperative landscapes. These are some aspects needed to be incorporated in future work of device landscapes. It seems also that theories such as distributed cognition, for example, might address some of these shortcomings.

9. CONCLUSIONS

We will conclude by putting forward some implications that our research has for HCI research and practice. Based on our studies, we are convinced that both HCI and interaction design have to recognize landscape aspects of today's use of digital interactive devices. Our research shows strong relationships between artifacts in a landscape creating layers and factors that in many ways supersede the properties of the individual artifact. HCI as a field studying interactive artifacts has to develop a sensibility for and knowledge about landscape aspects of interactive artifacts. This also means HCI has to develop ways of studying interactive device landscapes. We have found traditional HCI approaches and methodologies useful but not sufficient in the study of these landscapes. New theories, frameworks, models, and methods are needed.

We would also argue that HCI needs to develop knowledge that can support practicing interaction designers in their design of artifacts, needing to become part of device landscapes. We believe that within interaction design practice, there is already a recognition of the existence of landscape layers and factors and an understanding that they are highly influential in present-day use of interactive artifacts. At the same time, there is not existing appropriate language or concepts available supporting interaction designers when they face these complexities.

Even though this research has been challenging in many ways,

primarily because of the complexity of the object of study, and has at times overwhelmed us, we are more convinced now that knowledge about human computer interaction is not only about the traditional task-focused single-artifact/single-user context, or about the interactive well-designed ubiquitous environment. Instead, for most ordinary people “human-computer interaction” is about the constant struggle toward the creation and handling of device landscapes as well as the making of a meaningful and functioning whole from the vast number of interactive artifacts, playing a role in their everyday lives. As HCI researchers and interaction designers, we have a responsibility to address this as a serious research and design challenge.

ACKNOWLEDGEMENT

We thank the members of artifact ecology research group and study participants, especially Tonya Stroman who coordinated and reported her initial survey results.

References

1. Abowd, G. & Mynatt, E. (2000). Charting the past, present, and future in ubiquitous computing. *ACM TOCHI* 7(1), 29–58. New York: ACM.
2. Bardram, J. E. & Bossen, C. (2005). A web of coordinative artifacts: Collaborative work at a hospital ward. *Proc. SIGGROUP*, 168–176. New York: ACM.
3. Borgmann, A. (1984). *Technology and the Character of Contemporary Life: A philosophical inquiry*. Chicago: Univ. Chicago Press.
4. Brunette, K., Eisenstadt, M., Pukinskis, E., & Ryan, W. (2005). Meeteetse: Social well-being through place attachment. *CHI Extended Abstracts*, 2065–2069. New York: ACM.
5. Castells, M. (1996). *Rise of the Network Society*. Cambridge: Blackwell Pub.
6. Coyne, R. (1995). *Designing Information Technology in the Postmodern Age*. Cambridge, MA, USA: MIT Press.
7. Csikszentmihalyi, M. & Halton, E. (1981). *The meaning of things: Domestic symbols and the self*. Cambridge, UK: Cambridge UP.
8. Dearman, D. & Pierce, J. S. (2008). It's on my other computer!: computing with multiple devices. *Proc. SIGCHI*, 767–776. New York: ACM.
9. Dunne, A. (2006). *Hertzian Tales: Electronic Products, Aesthetic Experience, and Critical Design*. Cambridge, MA, USA: MIT Press.

10. Feenberg, A. (1999). *Questioning Technology*. London: Routledge.
11. Floridi, L. (2007). A look into the future impact of ICT on our lives, *The Information Society* 23(1), 59–64.
12. Forlizzi, J. (2007). How Robotic Products Become Social Products: An Ethnographic Study of Robotic Products in the Home. *Proc. HRI*, 129–136. New York: ACM.
13. Greenfield, A. (2006). *Everyware: The Dawning Age of Ubiquitous Computing*. Berkeley, CA, USA: New Riders Pub.
14. Harman, G. (2009). *Prince of Networks: Bruno Latour and Metaphysics*. Melbourne, Australia: re-press.org.
15. Harper, R., Rodden, T., Rogers, Y., & Sellen, A. (2008). *Being Human: Human Computer Interaction in the year of 2020*. Cambridge, UK: Microsoft Research.
16. Hayles, N. K. (1999). *How We Became Posthuman: Virtual Bodies in Cybernetics, Literature, and Informatics*. Chicago: Univ. Chicago Press.
17. Hollan, J., Hutchins, E., & Kirsh, D. (2000). Distributed cognition: toward a new foundation for human–computer interaction research. *ACM TOCHI* 7(2), 174–196. New York: ACM.
18. Hutchins, E. (1995). *Cognition in the Wild*. Cambridge, MA, USA: MIT Press.
19. Janlert, L.-E. & Stolterman, E. (2010). Complex Interaction. *ACM TOCHI* 17(2), No 8. New York: ACM.
20. Janlert, L.-E. & Stolterman, E. (1997). The character of things. *Design Studies* 18(3), 297–314.
21. Jung, H., Stolterman, E., Ryan, W., Stroman, T., & Siegel, M. (2008). Toward a framework for ecology of artifacts: How are artifacts interconnected surrounding a personal life? *Proc. NordiCHI*, 201–210. New York: ACM.
22. Ihde, D. (1990). *Technology and the Lifeworld: From Garden to Earth (Indiana Series in the Philosophy of Technology)*. Bloomington, IN, USA: Indiana University Press.
23. Kaptelinin, V. B., Nardi, A. (2006). *Activity Theory and Interaction Design (Acting with Technology)*. Cambridge, MA, USA: MIT Press.
24. Krippendorff, K. (2006). *The Semantic Turn – a new foundation for design*. Oxfordshire, UK: Taylor & Francis.
25. Latour, B. (1999). *Pandora's Hope. Essays on the reality of science studies*. Cambridge, MA, USA: Harvard UP.
26. Löwgren, J. & Stolterman, E. (2004). *Thoughtful Interaction Design*. Cambridge, MA, USA: MIT Press.
27. Maeda, J. (2006). *The Laws of Simplicity (Simplicity: Design, Technology, Business, Life)*. Cambridge, MA, USA: MIT Press.

28. Mainwaring, S. D. , Anderson, K., & Chang, M. F. (2007). Living for the global city: Mobile kits, urban interfaces, and Ubicomp. *Proc. Ubicomp*, 268–286. Springer-Verlag Berlin, Heidelberg.
29. McCarthy, J. & Wright, J. P. (2004). *Technology as Experience*. Cambridge, MA, USA: MIT Press.
30. McCulloch, M. (2004). *Digital Ground Architecture, Pervasive Computing, and Environmental Knowing*. Cambridge, MA, USA: MIT Press.
31. Mitcham, C. (1994). *Thinking through Technology: The Path between Engineering and Philosophy*. Chicago: Univ. Chicago Press.
32. Nardi, B. A. & O'Day, V. L. (2000). *Information Ecologies: Using Technology with Heart*. Univ. Chicago Press.
33. Norman, D. (2007). *The Design of Future Things*. New York: Basic Books.
34. Oulasvirta, A. & Sumari, L. (2007). Mobile kits and laptop trays: Managing multiple devices in mobile information work. *Proc. SIGCHI*, 1127–1136. New York: ACM.
35. Pantzar, M. (1997). Domestication of everyday life technology: Dynamic view on the social histories of artifacts. *Design Issues* 13(3), 52–65.
36. Pogue, D. (2011, June 6). Sorting through Apple's many announcements, New York Times. Retrieved from <http://pogue.blogs.nytimes.com/2011/06/06/sorting-through-apples-many-announcements/>.
37. Rodden, T. & Benford, S. (2003). The evolution of buildings and implications for the design of ubiquitous domestic environments. *Proc. SIGCHI*, 9–16. New York: ACM.
38. Rogers, Y. (2004). New Theoretical approaches for Human-Computer Interaction. *Annual Review of Information, Science and Technology* 38, 87–143.
39. Rogers, Y. (2006). Moving on from Weiser's vision of calm computing: engaging Ubicomp experiences. *Proc. Ubicomp*, 404–421. Springer-Verlag Berlin, Heidelberg.
40. Ryan, W., Stolterman, E., Siegel, M., Jung, H., Thompson, T., & Hazlewood, W. R. (2009). Device ecology mapper: A tool for studying users' ecosystems of interactive artifacts. *CHI Extended Abstracts* , 4327–4332. New York: ACM.
41. Scheutz, M., Schermerhorn, P., Kramer, J., & Anderson, D. (2007). First Steps toward Natural Human-Like HRI. *Autonomous Robots* 22(4), 411–313.
42. Schilit, B. N. & Sengupta, U. (2004). Device Ensembles, *IEEE Computer* 37(12), 56–64.

43. Schmidt, K. & Wagner, I. (2002). Coordinated artifacts in architectural practice. *Proc. COOP*, 257–274.
44. Suchman, L. A. (1987). *Plans and Situated Actions*. Cambridge, UK: Cambridge UP.
45. Thompson, T., Vespagnani, A., Stolterman, E., Ryan, W., Jung, H., & Siegel, M. (2009). *Influence of social networks on the adoption and use of new technology*. Indiana University, Bloomington, IN, USA. (Unpublished Research Report)
46. Verbeek, P.-P. (2005). *What Things Do – Philosophical Reflections on Technology, Agency, and Design*. State College, PA, USA: Penn State UP.
47. Stolterman, E. (2008). The nature of design practice and implications for interaction design research. *International Journal of Design 2(1)*, 55–65.
48. Winograd, T. & Flores, F. (1986). *Understanding Computers and Cognition: A New Foundation for Design*. Norwood, NJ, USA: Ablex Pub.
49. Woodruff, A., Anderson, K., Mainwaring, S., & Aipperspach, P. Portable (2007). But Not Mobile: A Study of Wireless Laptops in the Home. *Proc. Pervasive*, 216–233. Springer-Verlag Berlin, Heidelberg.
50. Woodward, I. (2007). *Understanding Material Culture*. Thousand Oaks, CA, USA: Sage Pub.
51. Wurman, R. S. (1989). *Information Anxiety, first ed.* New York: Doubleday.